



HYD. OIL

SCHRAMM

TXD ROTADRILL



DEPTH 1 DEPTH 2 COOL PUMP

CONTAMINATION
Cylinder Failure
Failure and Bleed System
Remove and Refill Procedures
WARNING
MAY CONTAIN STORED ENERGY





PLEASE - DMV





HVV.
LIFT

WARNING
ENSURE ALL LOCKING PINS ARE REMOVED
BEFORE RAISING AND LOWERING BEFORE LOWER

ATTENTION

REF ID: A123456789
RELEASE - DNR/M





12/34J

1300 FLEXIHIRE

SMOR

SMOR el
1300 FLEXIHIRE
001300G









TXD ROTADRILL®

ASPEN



RTI RELEASE DAIRM

Section 78E(2) RTI Act





ASPEN
ASPEN CUSTOM TRAILERS
10000 S. 100th Ave.
Suite 100, Aurora, CO 80015
Phone: 303.733.1100
Fax: 303.733.1101
www.aspen-trailers.com

WARNING
KEEP CLEAR OF GOOSENECK
WHEN FLIPPING EXTENSION
IMPROPER OPERATION MAY
CAUSE PERSONAL INJURY
OR DEATH

ASPEN
ASPEN CUSTOM TRAILERS
10000 S. 100th Ave.
Suite 100, Aurora, CO 80015
Phone: 303.733.1100
Fax: 303.733.1101
www.aspen-trailers.com

CAUTION
THIS VEHICLE IS EQUIPPED WITH A
TILT SWITCH
DO NOT TRAVEL UPHILL AND SPRINGS ARE
FULLY EXTENDED TO AVOID DAMAGE TO
SUSPENSION WILL OCCUR

CAUTION
THIS VEHICLE IS EQUIPPED WITH A
TILT SWITCH
DO NOT TRAVEL UPHILL AND SPRINGS ARE
FULLY EXTENDED TO AVOID DAMAGE TO
SUSPENSION WILL OCCUR

WARNING
If tip over
occurs, all
occupants
must
brace
themselves
and hold on
to the
structure
on all
sides.
If minimum
weight is
not met,
the vehicle
may tip.

CAUTION
THIS VEHICLE IS EQUIPPED WITH A
TILT SWITCH
DO NOT TRAVEL UPHILL AND SPRINGS ARE
FULLY EXTENDED TO AVOID DAMAGE TO
SUSPENSION WILL OCCUR

0915-1633

Alberta

CV1133055

Expires Last Day of Month Shown

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

Year
2006
2007
2009

MANUFACTURED UNDER AGREEMENT BY / FABRIQUE SUR LICENCE PAR: FOR: POUR: LORNE'S WELDING & FAB. LTD. BOX 1271 HUDSON BAY, SK. S0E 0Y0 ASPEN CUSTOM TRAILERS 2201 8TH STREET NISKU, AB, CANADA T9E 7Z1

ASPEN DATE: APRIL 2007

GAWR/ PNBV: 45953 KG (101309 LB) TIRES/ PNEU: 275/70R 22.5 (J)

GAWR (EACH AXLE)/ PNB (CHAQUE ESSIEU): 10433 KG (23000 LB) RIMS/ JANTE: 8.25 X 22.5

COLD INFL. PRESS./ PRESS DE CONFL. A FROID: 758 KPA (110 PSI/LPC) SINGLE/DUAL (S.D): D

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

VIN: 2L9RS03597H003603 TYPE/TYPE: TRA/REM



WESTSIDE SCRAM DOOR 29

05/09


2L9RS03597H003603

WESTSIDE CORPORATION

SCHEDULE 5 SCHEDULE 5

RTI.D. RELEASE - DIVRM

0915-1633



Alberta

CV1133055

Expires Last Day of Month Shown

Year
2006
2007
2009

1 2 3 4 5 6 7 8 9 10 11 12

MANUFACTURED UNDER AGREEMENT BY / FABRIQUE SUR LICENCE PAR: FOR: POUR: ASPEN CUSTOM TRAILERS 2201 8TH STREET NISKU, AB CANADA T9E 7Z1

LORNE'S WELDING & FAB. LTD. BOX 1271 HUDSON BAY, SK. S0E 0Y0

ASPEN™

DATE: APRIL 2007

GVWR/ PNBV: 45953 KG (101309 LB)

GAWR (EACH AXLE)/ PNBE (CHAQUE ESSIEU): 10433 KG (23000 LB)

COLD INFL. PRESS. / PRESS DE CONFL. A FROID: 758 KPA (110 PSI/LPC)

TIRES/ PNEU: 275/70R 22.5 (J)

RIMS/ JANTE: 8.25 X 22.5

SINGLE/DUAL (S/D): D

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

VIN: 2L9RS03597H003603

TYPE/TYPE: TRA/REM



WESTSIDE SCRAM TSD DRILL 25

05/09

2L9RS03597H003603

WESTSIDE CORPORATION

SCHEDULE 5 SCHEDULE 5

WELDER'S WELDING & FAB. LTD.
X 1271
DUNDAS BAY, SK. S0E 0Y0
OPEN CUSTOM TRAILERS
11 8TH STREET
WILKINSON, AB., CANADA T9E 7Z1
(101309 LB)

ASPEN

DATE: APRIL 2007

TIRES/ PNEU: 275/70R 22.5 (J)

RIMS/ JANTE: 8.25 X 22.5

SINGLE DUAL (S/D): D

3333 KG (23000 LB)

58 KPA (110 PSI/LPC)

APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.
APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE
ST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES
ADA EN VIGUEUR A LA DATE DE SA FABRICATION.

7H003603

TYPE/TYPE: TRA/REM



WESTSIDE SCREW AND BOLT CO. 2195035971003603 00
05/09 450
2195035971003603 4305
WESTSIDE CORPORATION LTD
SCHEDULE 5 SCHEDULE 5 SCHEDULE 5
THIS PLATE IS REQUIRED WITH APPROVAL OF THE COMMISSIONER OF METALS 107442

SEE DNR/M

RT/DL/R

DOT-C2

DOT-C2



Manufactured by
ASPEN CUSTOM TRAILERS
3914-81 Avenue
Leduc, AB, Canada T9E 0C3
Phone: 780.980.1925
Fax: 780.980.1926
www.aspentrailer.com

107953



a subs...
 his lo...ion...
 n side...
 000 lb...m
 acity p...side.
 0915-1633

Alberta

CV1133055

Expires Last Day of Month Shown

Year
2006
2007
2009

1 2 3 4 5 6 7 8 9 10 11 12

MANUFACTURED UNDER AGREEMENT BY / FABRIQUE SUR LICENCE PAR: FOR/POUR:

LORNE'S WELDING & FAB. LTD.
 BOX 1271
 HUDSON BAY, SK. S0E 0Y0
 ASPEN CUSTOM TRAILERS
 2201 8TH STREET
 NISKU, AB., CANADA T9E 7Z1

GVWR/ PNBV: **45953** KG (**101309** LB)

GAWR (EACH AXLE)/ PNBE (CHAQUE ESSIEU): **10433** KG (**23000** LB)

COLD INFL. PRESS./ PRESS DE CONFL. A FROID: **758** KPA (**110** PSI/LPC)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE STANDARDS PRESCRIBED UNDER THE NATIONAL HIGHWAY TRAFFIC SAFETY ACT AND ALL APPLICABLE CANADIAN MOTOR VEHICLE STANDARDS IN FORCE AT THE DATE OF MANUFACTURE. CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI S'APPLIQUENT AUX VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

VIN: **2L9RS03597H003603**

ASP

TIRES PNEU
RIMS JANT
SING

RTI DL
 SE - DNRM



WARRANTY: OR DAMAGE TO EQUIPMENT WILL OCCUR. SEE MANUAL.



SCOTT



Telem

ASPI

500T

TXD ROTADRILL

ASPE

EXTINGUISH

THIS
ABC

WDER
OR
EXTILE,
RICAL

WM